



# Logotrax®




STEPS BEYOND THE ORDINARY

everything your brand needs to leave

## A LASTING IMPRESSION

Custom works of craftsmanship helping your name stand out in the crowd.  
Provide the logo and we'll transform it into a bold flooring addition.



Visit [graphicimageflooring.com](http://graphicimageflooring.com) or Call 866-406-8877

Colors shown on this sheet are as accurate as printing will allow. Images not to scale.





# Logotrax®





## DESCRIPTION

**A LASTING IMPRESSION.** Every Logotrax® tile is a custom work of craftsmanship helping your name stand out in the crowd. Provide the logo and we'll transform it into a bold flooring addition. It's never been easier to brand your showroom, garage, trade show booth or event floor with a premium, commercial grade modular flooring solution.

## BENEFITS

-  **SUPERIOR STRENGTH**  
3/4" thick and features a compressive strength of 1,250 psi and 25,000 lbs of rollover weight.
-  **NON-SLIP**  
A safe solution to moisture.
-  **RAIN OR SHINE**  
UV Stabilizer mixed into the material as well as the color pigments, making them highly fade resistant.
-  **DO IT YOURSELF**  
Finished logo assembles directly into your Swisstrax flooring.
-  **SILENT STEP**  
No click-clack.



-  **CHEMICAL RESISTANT**  
Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.
-  **CONSTRUCTION**  
1/4" built in channeling system or support system depending on tile style. Contour cut Lexan logo routed directly into your tile creating a durable and high end branding solution.
-  **VARIETY**  
Choose from 19 different color options and 10 tile styles. Interlock with other 15.75" Swisstrax tiles.
-  **100% RECYCLABLE**  
100% sustainable.

**VIDEO LINK** COMING SOON

## COLORS



**Visit [graphicimageflooring.com](http://graphicimageflooring.com) or Call 866-406-8877**


Colors shown on this sheet are as accurate as printing will allow. Images not to scale.





# Logotrax®

## DIMENSIONS



## PACKAGING & ADDITIONAL FACTS

PACKAGING:	CUSTOM WOOD OR CARDBOARD CRATE	FIRE RATING:	HORIZONTAL BURN RATING
CHANNELING SYSTEM:	.25 INCH	TOOLS:	NO EXTRA TOOLS REQUIRED
CABLE ROUTING:	UPGRADE AVAILABLE	RECYCLABLE:	YES
CUTTING:	FINE TOOTH BLADE	MATERIAL:	100% VIRGIN POLYPROPYLENE
CLEANING:	MOP WITH MILD CLEANSER	LOGO MATERIAL:	CONTOUR CUT LEXAN INLAY
		PROFILE:	OPEN .125 INCH PERFORATION

## TRANSITION & EDGE OPTIONS & COLORS



**Graphic**  
Image Flooring®  
STEPS BEYOND THE ORDINARY

Visit [graphicimageflooring.com](http://graphicimageflooring.com) or Call 866-406-8877

Colors shown on this sheet are as accurate as printing will allow. Images not to scale.

