






# Ribtrax<sup>®</sup> Smooth

STEPS BEYOND THE ORDINARY

durable and smooth tile for any application

## SMOOTH VERSATILITY

An innovative new addition to our most popular tile style and features the appeal of a smooth and even surface.



Visit [graphicimageflooring.com](http://graphicimageflooring.com) or Call 866-406-8877

Colors shown on this sheet are as accurate as printing will allow. Images not to scale.
















# Ribtrax<sup>®</sup> Smooth

## DESCRIPTION

*SMOOTH VERSATILITY.* Ribtrax<sup>®</sup> Smooth is an innovative new addition to our most popular tile style and features the appeal of a smooth and even surface. From garages, pools, patios, to athletic courts, special event floors and more, it has never been easier to transform your space with a Swisstrax flooring solution.

## BENEFITS


-  **SUPERIOR STRENGTH**  
Features a compressive strength of 2,500 psi and 60,000 lbs of rollover weight.
-  **NON-SLIP**  
Self-draining design provides a clean, dry surface.
-  **RAIN OR SHINE**  
UV Stabilizer mixed into the material as well as the color pigments, making them highly fade resistant.
-  **DO IT YOURSELF**  
Quick install in hours not days. Low maintenance, hassle free cleaning.
-  **SILENT STEP**  
No click-clack.
-  **CHEMICAL RESISTANT**  
Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.
-  **HEAT RESISTANT**  
Temperature Tolerances: -22 °F to + 248 °F.
-  **CONSTRUCTION**  
Open profile, smooth design with 1/4" built in, self-draining channeling system.
-  **VARIETY**  
Choose from 10 different color options. Interlock with other 15.75" Swisstrax tiles.
-  **100% RECYCLABLE**  
100% sustainable.



## VIDEO LINK

COMING SOON

## COLORS



**Graphic**  
Image Flooring

STEPS BEYOND THE ORDINARY

Visit [graphicimageflooring.com](http://graphicimageflooring.com) or Call 866-406-8877


Colors shown on this sheet are as accurate as printing will allow. Images not to scale.





# Ribtrax<sup>®</sup> Smooth

## DIMENSIONS



## PACKAGING & ADDITIONAL FACTS

<b>PACKAGING:</b>	25 TILES (43 SQFT) PER BOX	<b>RECYCLABLE:</b>	YES
<b>CHANNELING SYSTEM:</b>	.25 INCH	<b>PROFILE:</b>	OPEN .115 INCH PERFORATION
<b>CUTTING:</b>	FINE TOOTH BLADE	<b>CLEANING:</b>	YARD BLOWER, PRESSURE HOSE, SHOP VAC, MOP
<b>WARRANTY:</b>	15 YEARS	<b>MATERIAL:</b>	100% UV STABILIZED VIRGIN POLYPROPYLENE
<b>FIRE RATING:</b>	HORIZONTAL BURN RATING		
<b>TOOLS:</b>	NO EXTRA TOOLS REQUIRED		

## TRANSITION & EDGE OPTIONS & COLORS



**Graphic**  
Image Flooring

STEPS BEYOND THE ORDINARY

Visit [graphicimageflooring.com](http://graphicimageflooring.com) or Call 866-406-8877

Colors shown on this sheet are as accurate as printing will allow. Images not to scale.

